

THE UNITED STATES OF AMERICA

TO AUL TO WHOM THESE: PRESENTS; SHAUL COME;

Irito-Lup Aorth America, Inc.

LECCAS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT. THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE ESELTIO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR CRUING IT OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT DBY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

POTATO

'FL 1930'

In Testimonn Marrest, I have hereunto set my hand and caused the seal of the Hant Haristan Protection Office to be affixed at the City of Washington, D.C. this fifth day of June, in the year two thousand and eight.

Plant Variety Protection Offic

Colwond 7: Schafer

REPRODUCE LOCALLY. Include form number and date or	n all reproductio	ns .		Form Approvad - UMB No. 0581-0
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION	LOFFICE	The following a the Paperwork	islements are made in accordant Reduction Act [PRA] or 1995,	ce with the Privacy Act of 1974 (\$ U.S.C. 552a) and
APPLICATION FOR PLANT VARIETY PROTECTION (Instructions and information collection burden statement	I CERTIFICATI	Application is re (7 U.S.C, 2421)	quirèd in order to delermine if a , information la held confidential	piant variety protection certificate is to be issued until certificate is lesped (7 U.S.C. 2426).
1. NAME OF OWNER	T.	Per latter 2/9/2004	2. TEMPORARY DESIGNATE EXPERIMENTAL NAME	ION OR 3. VARIETY NAME
Frito-Lay North Ame	rica, Inc.	LANC	1993 111.3	FL 1930
4. ADDRESS (Stropt and No., or R.F.D. No., City, State, and ZIP Code, and Cou	intry)		6. TELEPHONE (Include ore	a coqa) kök daliciyi" nás dálla
7701 Legacy Di	rive	per letter	972-334-3822	PVPO NUMBER
Plano, Texas 75	024	2 9 (200)	6. FAX (Include area code)	200100164
		LME	972-334-5965	FILING DATE
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, pertnership, essociation, etc.)	8. IF INCORPORA	NTED, GME	8. DATE OF INCORPORATION	DN OLLIN
Corporation	Delaw		8/8/89	04/11/01
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN TH	1			FILING AND EXAMINATION FEES:
Robert J. Jondle				2705.00
Jondle & Assòciates, P.C.				B DATE 0 4///0/
858 Happy Canyon Road, Suit 230 Castle Rock, CO 80108				C CERTIFICATION FEE:
Castle Rock, CO 60108		Α.		¥ : 768.00
		* Lmc	11-22-05	DATE 09/07/07
11. TELEPIONE (Include sea code) 12. FAX (Include area code)	13. E-N			14. CROP KIND (Common Name)
202-783-6040 202-783-6031	bnev	,land@roth	wellfigg.com	Potato
15. GENUS AND SPECIES NAME OF CROP		MILY NAME (Solanic	BØ	17. IS THE VARIETY A FIRST GENERATION HYBRID?
Solanum tuberosum	Sol	anaceae		☐ Yes
1B, CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (FOILDS (BYBRYC)	Instructions on			of this variety be sold as a class of the Plant Veriety Protection Act)
a. [2] Exhibit A. Origin and Breeding History of the Variety b. [2] Exhibit B. Slatement of Distinctorses			'E6 (if 'yes', answer hems 20 and 21 below)	A NO (II *ro, *oo to !lem 22) FTHIS □ YES □ NO
E. M. Eighbit C. Objective Description of Variety			WINER SPECIFY THAT SEED O LIMITED AS TO NUMBER OF C TH CLASSES? FOUND	
d. [2] Exhibit D. Additional Description of the Variety (Chilores) e. [2] Exhibit E. Statement of the Basis of the Owner's Ownership			WHER SPECIFY TRAT THE CL TO NUMBER OF GENERATION	
Voucher Sample (2.500 vigible univerted seeds or, for luber propagative will be deposited and maintained in an (aposition) \$2705.00	led variaties, approved public	IF YES, SPEC NUMBER 1, 2	FYTHE	
g. King and Examination Fee (82755), made payable to "Treasurer of States" (Medi to the Pioni Variety Protection Office)	the United	1	" <u> </u>	use the space indicated on the reverse.)
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRI FROM THE VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR US	D PRODUCED ED IN THE U. S. OR	· 23. 13 THE VARIE PROPERTY F	ETY OR ANY COMPONENT OF NIGHT (PLANT BREEDER'S RIC	THE VARIETY PROTECTED BY INTELLECTUAL HT OR PATENTY?
pr ves per letter 1 100		, —	ES.	NO SCHIANCE AND ASSISNED
IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TO FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Plainsé use space inch	RANSFER, OR USE Called on roverse.)			R ISSUANCE AND ASSIGNED picaled on reverse.)
24. The owners declare that a viable sample of basic seed of the variety will be furn for a lather propagated variety a tlasus culture will be deposited in a public repo	lehad with application : Lehan and maintained i	and will be replements for the duration of the	d upon request in accordance w cardicate.	In such regulations as may be applicable, or
for a saper properties owners, a case subject of the sexually reproduced of luber The undersigned owners, (eleva) the envisions of Section 42 of the Plant Varia and is entitled to protection under the provisions of Section 42 of the Plant Varia	r propagalad planj vari Ny Proloclion Act. Ny paoleonin'i Lanca	ary, ena bellava(s) 44	at the Abiliary is bow, distilier' nul	received and desired to technical in accessor services
Owner(s) Is(are) informed that false representation herein can leopardize protections. SIGNATURE OF OWNER	Hall Stire Losels (% hall)	SIGNATURE OF (OWNER	
The Solum	2			
NAME (Please print or type)		NAME (Please pri	ni or typa)	
Thomas P. Schur	:	· · · · · · · · · · · · · · · · · · ·		- 100
CAPACITY OR TITLE Secretary, Recot, Inc. DATE OZ/	20/01	CAPACITY OR TO	ī LE	DAYE
T-470 (2-99) designed by the Plant Variety Protection Office with WordParlact 5.0s.	•) 3-98) which is opeolel	s. (See reverse for instru	cilona and information collection burden statement)

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed Exhibits A, B, C, E; (3) at least 2,500 viable untreated seeds, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in a public repository prior to issuance of a certificate; (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.175 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 30 days, then returned to the applicant at unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 1030: Baltimore Blvd., Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are sel explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the Certificate.

Plant Variety Protection Office Telephone: (301) 504-5518 #200100164

ITEM

16a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified.
- 16b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences;
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 16c. Exhibit C forms are available from the PVPO for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- Section 52(4) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. The applicant may be the actual breeder, the employee of the breeder, the owner through purchase or inheritance, etc.
- 17. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant may NOT reverse this affirmative decision after the variety has been sold and so labelled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See P.L. 103-349 for additional information.)
- 20. See Sections 41, 42 and 43 of the Act and Section 97.175 of the regulations for eligibility requirements.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment during the life of the application/certificate. There is no charge for filling a change of address. The fee for filling a change of address.

To avoid conflict with other variety names in use, the applicant should check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705.

Telephone: (301) 504-8089.

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing date sources, gethering and maintaining the date needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 1630, Weshington, DC 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB No., 0681-0065), Weshington, DC 20603.

Date and Place of First Sale of FL 1930

'FL 1930' was first sold in the United States in December 2000.

Exhibit A: Origin and Breeding History of the Variety

The variety FL 1930 originated in the Frito-Lay Inc. private potato breeding program. In 1991, a cross was made by Robert W. Hoopes at the Frito-Lay Research facility near Rhinelander, Wisconsin between the varieties RD 4-89-18 (later designated FL 1850) and FL 1291. The variety RD 4-89-18 was chosen as a breeding parent because of its excellent chip appearance after long periods in cold storage, its high solids and early maturity and resistance to "golden" cyst nematode, *Globodera rostochiensis* race Ro1. Fl 1291 was chosen as a breeding parent because of its high yields and its potential for scab and bruise resistance.

Seeds from the cross RD 4-89-18 x FL 1291 were sown in a greenhouse near Rhinelander in the summer of 1992 and the resulting tubers were harvested in late fall of that year. Seedling tubers were planted in the field in the spring of 1993. One of the selections from this progeny was given the designation "1993 111.1". This selection was tested for four years in the fields near Rhinelander with solids measurements and potato chip fry samples taken after each harvest. 1993 111.1 was found to have consistently uniform round-oval tubers and excellent chip appearance.

In 1997, 1993 111.1 was given the name "FL 1930" and was tested in nine variety trials conducted by Frito-Lay throughout the United States and in Quebec, Canada. It has been tested in the Advanced Clonal Evaluation Program and is consistently found to have competitive solids, yield equal to or higher than that of Atlantic, very low bruising potential and a beautiful fresh chip appearance. FL 1930 has been tested by Dr. Bill Brodie of Cornell University in Ithaca, New York, and found to be resistant to the "golden" cyst nematode, *Globodera rostochiensis* race Ro1.

FL 1930 was observed for 6 generations in 9 locations and was determined to be genetically uniform and stable from generation to generation with no evidence of variants.

Tissue culture plantlets of FL 1930 were established in 1996 and are maintained at the Frito-Lay Research facility near Rhinelander, Wisconsin, with a duplicate maintained by the Wisconsin Seed Potato Certification Program in Madison, Wisconsin.

#200100164




Exhibit B: Statement of Distinctness

As a chipping variety for fresh use, FL 1930 is most similar to Atlantic. FL 1930 can be distinguished from Atlantic in regard to the following traits: The color of the inner and outer surface of the corolla of FL 1930 is darker (RHS 78A) than color of the inner and outer surface of the corolla of Atlantic (RHS 82D). The anthers of FL 1930 are yellow-orange (RHS 17A), while the anthers of Atlantic are yellow (RHS 2A). FL 1930 has a pale yellow tuber flesh color (RHS 160C), while Atlantic has white tuber color (RHS 158B).

The average glycoalkaloid levels of FL 1930 are 4.10 mg/100g fresh tuber, while the average glycoalkaloid levels of Atlantic are 8.02 mg/100g, as documented by two individual tests conducted each by the University of Idaho and the University of Maine (Please see attached table for glycoalkaloid data).

The isozyme pattern of FL 1930, as established by Dr. Dave Douches of Michigan State University, is unique among known North American varieties. This is detailed in Exhibit D, Additional Description of the Variety.

*Colors were obtained determined using the Royal Horticultural Society colour chart.


Statistical Data Comparing Glycoalkaloid Levels Between 'FL 1930' and 'Atlantic'

glycoalkaloids in mg per 100g of fresh sample for each variety and column nine shows the results of both a one and two tail paired tfrom 1998-2002. Column one shows the variety name, column two shows the test year, column three shows the OD at 600, column Table 1 below shows data comparing glycoalkaloid levels between potato cultivars 'FL 1930' and 'Atlantic' over a four-year period test between the average total glyocolalkaloid level of 'FL 1930' and 'Atlantic'. Analysis of the total glycoalkaloid levels between solids for all samples, column seven shows the total mg per 8g of sample times the percentage solids, column eight shows the total 'FL 1930' and 'Atlantic' using a paired t-Test indicate that the levels are significantly different using both a one tail (P=0.016) and four shows the mg of sample per aliquot, column five shows the total mg per 8g sample, column six shows the average percentage two tail test (P=0.032).


	Test	OD @		8g sample	%	Total mo/80	Total alveoalle loide	T took mained trees
variety	Year	909	mg/aliquot	(total mg/8g)	Solids	* %Solids	(mg/100g fresh)	sample for means
	1998		12.561 12.503 12.503 13.603 13				6.40	
···	1999	0.177	0.119	1.186		3.290	3.29	
FT 1930	2000	0.302		2.054	22.19	6.201	6.20	
06/17/1	2002	0.122	880.0	0.878		2.419	2.42	;
	7007		080.0	0.799		2.201	2.20	One tail:
							AVG: 4.10 ± 0.92	I=2.13, P=0.016
	1998						14.15	:
	1999	0.401	0.269	2.687		8.640	8.64	I wo tail:
Atlantic	2000	0.326		2.217	25.71	6.868	6.87	1=2.78, $P=0.032$
ALIAMER	2000		0.202	2.016		5.449	5.45	
	7007	0.257	0.185	1.850		5.001	5.00	
							AVG: 8.02 ± 1.66	

*Note: 1998 and 1999 tests conducted by the University of Maine, while the tests from 2000 and on were conducted by the University of Idaho

Comparison of the corolla color between 'FL 1930' and 'Atlantic'




'FL 1930'




'Atlantic'


Comparison of tuber flesh color between 'FL 1930' and 'Atlantic'



'FL 1930'



'Atlantic'












#200100164








•		Exhibit C (Potato)
NAME OF APPLICANT (S)	TEMPORARY OR EXPERIMENTAL DESIGNATION	VARIETY NAME
Frito Lay North America, Inc.	1993 111.3	FL 1930
ADDRESS (Street and No. or RD No., City, State, Zip Code, and Country)		FOR OFFICIAL USE ONLY
7701 Legacy Drive Plano, TX 75024		# 2 0 0 1 0 0 1 6 4
REFERENCE VARIETIES: Enter the reference variety nar	me in the appropriate box.	
Application Variety (V) Reference Variety 1 (R	1) Reference Variety 2 (R2) Reference Va	riety 3 (R3) Reference Variety 4 (R4)
FL 1930 Atlantic		
PLEASE READ ALL INSTRUCTIONS CAREFULLY:		
MARKET CHARACTERISTICS: *MARKET CLASS: 1 = Yellow-flesh Tablestock 2 = Round-white Tablestock 6 = Other	ablestock 3 = Chip-processing 4 = Frozen-processin	g
$\begin{bmatrix} V \\ 3 \end{bmatrix}$ $\begin{bmatrix} R1 \\ 3 \end{bmatrix}$	R2 R3 R4	4
V 3/4 R1 3/4 *LIGHT SPROUT BASE: PUBESCENCE OF TIL 1 = Absent 2 = Weak 3 = Medium 4	R2 R3 R4 = Strong 5 = Very Strong	· .
*LIGHT SPROUT BASE: ANTHOCYANIN COLING 1 = Green 2 = Red-violet 3 = Blue-violet	R2 R3 R4 ORATION 4 = Other(describe)	
V 2 R1 2	R2 R3 R4	
*LIGHT SPROUT BASE: INTENSITY OF ANTHO 1 = Absent 2 = Weak 3 = Medium 4	OCYANIN COLORATION (IF PRESENT) = Strong 5 = Very Strong	
V 5 R1 7	R2 R3 R4	
* LIGHT SPROUT TIP: HABIT 1 = Closed 2 = Intermediate 3 = Open		· · · · · · · · · · · · · · · · · · ·
V 1 R1 2	R2 R3 R4	

	Exhibit C (Pot
2. LIGHT SPROUT CHARACTERISTICS: (continued)	
LIGHT SPROUT TIP: PUBESCENCE 1 = Absent 2 = Weak 3 = Medium 4 = Strong 5 = Very Strong	
V 2 R1 4 R2 R3 R4	
LIGHT SPROUT TIP ANTHOCYANIN COLORATION 1 = Green 2 = Red-violet 3 = Blue-violet 4 = Other(describe)	
V 2 R1 2 R2 R3 R4	·
LIGHT SPROUT TIP: INTENSITY OF ANTHOCANIN COLORATION (IF PRESENT) 1 = Absent 2 = Weak 3 = Medium 4 = Strong 5 = Very Strong	
V 3 R1 2 R2 R3 R4	
LIGHT SPROUT ROOT INITIALS: FREQUENCY 1 = Short 2 = Medium 3 = Long	
V 2 R1 1/2 R2 R3 R4	
3. PLANT CHARACTERISTICS:	



V	R1		R2		R3		R4	
		•						

*REGIONAL AREA:

1 = Pacific North West (WA, OR, ID, CO, CA)

2 = North Central (ND, WI, MI, MN, OH)

3 = North East (ME, NY, PA, NJ, MD, MA, RI,)

4 = Mid-Atlantic Erect (VI, NC, SC, South NJ, FL)

5 = South (LA, TX, AZ, NE)

6 = Canada

R4

7 = Europe 8 = England

9 = Latin America 10 = Brazil

11 = Other

R1

R2

R3

MATURITY CLASS: 1 = Very Early (<100 DAP) 2 = Early (100-110 DAP) 3 = Mid-season (111-120 DAP) 4 = Late (121-130 DAP) 5 = Very Late (>130 DAP).



R1

R2

R3

R4

NAI	ME OF APPLICAN	T(S)		1.				F	OR OFFICIAL US	E ONLY
I	rito-Lay North A	Americ	a, Inc.			W. J.		1 _	NUMBER	
·	DRESS (Street and I			Stata	and Tim (7- 4-1			0100164	,
ADI	oness (Sueet ana 1	vo. o/ n.	F.D. No., Cuy,	suie,	ana zip (.oae)		VARII	ETY (V) NAME	
) 5000 (Regyer) 		•		• . •				FL 1930	
	7701 Legacy I Plano, Texas 7	Orive 75024	4588		•		4.		ORARY OR EXPE	RIMENTAL
Ł				!					1993 111.3	
	REFERENCE	VARI	ETIES: E	nter	the ref	erence v	variety na	me in	the appropria	te box
I	Reference Variety 1	(R1)	Reference V	ariety	2 (R2)	Refere	nce Variety 3	(R3)	Reference Vari	ety 4 (R4)
	Atlantic									
1. N	MARKET CHARAC	TERIST	TCS:							
	MARKET CLA	SS:								
	1 = Yellow-fles	h tableste	ock: 2 = Roun	d-whit	e tablesto	ck: 3 = C	hin_nrocessins	r. 4 = T	rozen-processing;	
	5 = Russet table	estock;	6 = Ot	her	- unitation		, urb-brocessur	,, ч — 1	Tozen-processing;	
		Γ						T	7	
·.	V 3		R1 3	-	R2		R3		R4	
2. I	PLANT CHARACTI	ERISTIC	CS:							· · · · · · · · · · · · · · · · · · ·
	GROWTH HABIT	r. (Sea f	iouro II							
	3 = Erect (>4)	5° with g	(round); 5 = Sc	emi-er	ect (30-45	with grou	nd); 7 = Spr	eading.		
	v 5		R1 5		TD2		ma			
	· · ·		R1 5		R2		R3	<u>. </u>	R4	
	TYPE:									
		ge open,	stems clearly v	isible);	2 = Int	ermediate;	3 = Leaf (Fo	liage clo	sed, stems hardly v	isible)
		_					[1	
•	V 2	[_]	R1 2		R2		R3		R4	
						· ·				
	MATURITY: Day	s after p	lanting (DAP) a	ıt vine	senesceno	e				
	v 110	R	1 115		R2		R3		R4	
PLA	NTING DATE:									
v	7	R1		R2			R3		R4	
pro	GION/AREA:	<u></u>	-	l					 	
V		R1		R2			R3		R4	
	Indiana	In	diana							
									·	

STD-476 (01-96)

Page 3 of 19

	2	R1 3	R2	R3	R4
CTIPA CIT	AD A COERDYCE	Dress 16			
JIEWI CH	ARACIERIS	TICS: Measure at early f	irst bloom		
STEM A		N COLORATION:	.		
	osent; 3 = w	eak; 5 = Medium; 7 =	Strong; 9 = Very Stron	g	
V	3	R1 3	R2	R3	R4
	-				
STEM WI	INGS: (See fig	pure 12)			
1 – Au	Sent; S = W	eak; 5 = Medium; 7 =	Strong; 9 = Very Strong		
V	5	R1 3	R2	R3	R4
PAR CHAI	RACTERISTI	Ce.			
$ \begin{array}{c} LEAF CO \\ 1 = Ye \end{array} $	LOR: <i>(Obser</i>) llowish-green;	ve fully developed leaves $0 = 0$	ocated on middle 1/3 of plan Medium green; 4 = Darl	t) K green: 5 = Grev-green	v 6 – Othor
		g	groon, 1 - Date	Green, 3 – Grey-green	i, 0 – Other
I V I	2	$\mathbf{R1} \mid 2$		D2	- 4
	2	R1 2	R2	R3	R4
		RI Z	RZ	R3	R4
LEAF COI	, LOR CHART	VALUE: Royal Horticu	ilture Society Color Chart	or Munsell Color Chart	
LEAF COI	, LOR CHART	VALUE: Royal Horticu		or Munsell Color Chart	
LEAF COI	, LOR CHART	VALUE: Royal Horticu	ilture Society Color Chart	or Munsell Color Chart	
LEAF COI	LOR CHART	VALUE: Royal Horticueaves located on middle '/	ulture Society Color Chart 3 of plant & circle the appr	or Munsell Color Chart	
LEAF COI	LOR CHART LLOR CHART LLY developed L 137A ESCENCE DI	VALUE: Royal Horticueaves located on middle '/	ulture Society Color Chart 3 of plant & circle the appr	or Munsell Color Chart	
LEAF COI	LOR CHART LLOR CHART LLY developed L 137A ESCENCE DI	VALUE: Royal Horticueaves located on middle '/	ulture Society Color Chart 3 of plant & circle the appr	or Munsell Color Chart	
LEAF COI	LOR CHART LLOR CHART LLY developed L 137A ESCENCE DI	VALUE: Royal Horticueaves located on middle '/	ulture Society Color Chart 3 of plant & circle the appr	or Munsell Color Chart	
LEAF COI (Observe fu	LOR CHART lly developed la 137A ESCENCE DI ent; 2 = Span	VALUE: Royal Horticue eaves located on middle 1/2 R1 137A ENSITY: rse; 3 = Medium; 4 =	R2 Thick; 5 = Heavy	or Munsell Color Chart opriate color chart) R3	R4
LEAF COI (Observe fur V LEAF PUB 1 = Abs	LOR CHART lly developed la 137A ESCENCE DI sent; 2 = Span	VALUE: Royal Horticule aves located on middle 1/2 R1 137A ENSITY: rse; 3 = Medium; 4 = R1 3	R2 Thick; 5 = Heavy	or Munsell Color Chart opriate color chart) R3	R4
LEAF COI (Observe fur V LEAF PUB 1 = Abs	LOR CHART lly developed la 137A ESCENCE DI sent; 2 = Span	VALUE: Royal Horticule aves located on middle 1/2 R1 137A ENSITY: rse; 3 = Medium; 4 =	R2 Thick; 5 = Heavy	or Munsell Color Chart opriate color chart) R3	R4
LEAF COI (Observe fur V LEAF PUB 1 = Abs	LOR CHART lly developed la 137A ESCENCE DI sent; 2 = Span 3 ESCENCE LE se; 2 = Short;	VALUE: Royal Horticule aves located on middle 1/2 R1 137A ENSITY: rse; 3 = Medium; 4 = R1 3 ENGTH: 3 = Medium; 4 = Lo	R2 Thick; 5 = Heavy R2 R2	or Munsell Color Chart opriate color chart) R3	R4
LEAF COI (Observe fu) V LEAF PUB 1 = Abs V LEAF PUB 1 = Non	LOR CHART Illy developed la 137A ESCENCE DI Sent; 2 = Span 3 ESCENCE LE se; 2 = Short;	VALUE: Royal Horticule aves located on middle 1/2 R1 137A ENSITY: rse; 3 = Medium; 4 = R1 3 ENGTH: 3 = Medium; 4 = Lo	R2 Thick; 5 = Heavy R2 R2 R2 R2	R3 R3	R4 R4
LEAF COI (Observe fu) V LEAF PUB 1 = Abs V LEAF PUB 1 = Non	LOR CHART Illy developed la 137A ESCENCE DI Sent; 2 = Span 3 ESCENCE LE se; 2 = Short;	VALUE: Royal Horticule aves located on middle 1/2 R1 137A ENSITY: rse; 3 = Medium; 4 = R1 3 ENGTH: 3 = Medium; 4 = Lo	R2 Thick; 5 = Heavy R2 R2	R3 R3	R4 R4
LEAF COI (Observe fu. V LEAF PUB 1 = Abs V LEAF PUB 1 = Non V (Note: D	LOR CHART lly developed la 137A EESCENCE DI Sent; 2 = Span 3 EESCENCE LE se; 2 = Short; 3 Descriptor #19 of	VALUE: Royal Horticule aves located on middle 1/2 R1 137A ENSITY: rse; 3 = Medium; 4 = R1 3 ENGTH: 3 = Medium; 4 = Lo R1 4	R2 Thick; 5 = Heavy R2 R2 R2 R2	R3 R3	R4 R4
LEAF COI (Observe fu. V LEAF PUB 1 = Abs V LEAF PUB 1 = Non V (Note: D	LOR CHART Illy developed to 137A ESCENCE DI Sent; 2 = Span 3 ESCENCE LE Se; 2 = Short; 3 Descriptor #19 of	VALUE: Royal Horticule aves located on middle \(\) R1 137A ENSITY: rse; 3 = Medium; 4 = R1 3 ENGTH: 3 = Medium; 4 = Locate to describe the locate to describe the locate figure 2)	R2 Thick; 5 = Heavy R2 R2 R2 R2	R3 R3	R4 R4
LEAF COI (Observe fu. V LEAF PUB 1 = Abs V LEAF PUB 1 = Non V (Note: D	LOR CHART Illy developed to 137A ESCENCE DI Sent; 2 = Span 3 ESCENCE LE Se; 2 = Short; 3 Descriptor #19 of	VALUE: Royal Horticule aves located on middle 1/2 R1 137A ENSITY: rse; 3 = Medium; 4 = R1 3 ENGTH: 3 = Medium; 4 = Lo R1 4	R2 Thick; 5 = Heavy R2 R2 R2 R2	R3 R3	R4 R4

			CYANIN COLOR Weak; 5 = Medi		Strong; 9 = Ve	ry Strong	
	V	3	R1 3		R2	R3	R4
			ZE: (See figure 13) Small; 5 = Mediu		Large		***************************************
٠.	V	3-5	R1 5		R2	R3	R4
	1 = N	arrowly ova	ET SHAPE: (See f te; 2 = Medium o Oblong; 8 = Oth	vate; 3 =		4 = Lanceolate; 5 = Elli	ptical;
	V	3	R1 3		R2	R3	R4
			ET TIP SHAPE: (A			= Other	
;	V	3	R1 3		R2	R3	R4
 			ET BASE SHAPE: Acute; 3 = Obtus R1 4		•	R3 R3	Other
*,			T MARGIN WAV Slight; 3 = Weak;		lium; 5 = Stron	g	,
	v	2	R1 3		R2	R3	R4
1	NUMBER AVERA		RY LEAFLET PA	IRS: (Sec	e figure 11)		
	v	4	R1 4		R2	R3	R4
AN	GE:						
	3 to	5 R	1 4 to 4	R2	to	R3 to	R4 to
P			TIP SHAPE: (See aspidate; 3 = Acu			Other	
	v	3	R1 3] [R2	R3	R4
							Page 5 of 19

*	PRIMARY LEAFL	ET SIZE: 2 = Small; 3 = Med	lium: A — Longo, 5:-	Word Taken	
_	V 4	R1 4	R2	R3	R4
PI	1 = Narrowly ov	T SHAPE: (See figure rate; 2 = Medium ova = Oblong; 8 = Other	te; 3 = Broadly ovate	; 4 = Lanceolate; 5 = Elli	otical;
	v 2	R1 2	R2	R3	R4
PR	RIMARY LEAFLET 1 = Cuncate; 2 =	BASE SHAPE: (See Acute; 3 = Obtuse;	figure 5 & 11) 4 = Cordate; 5 = 7	Fruncate; 6 = Lobed; 7 = (Other
	V 4	R1 4	R2	R3	R4
NU	MBER OF SECON	DARY AND TERTIA	RY LEAFLET PAIRS	: (See figure 11)	
	V 4	R1 5	R2	R3	R4
RANG	GE:		<u> </u>		
V	3 to 6	R1 4 to 7	R2 to	R3 to	R4 to
5. INF	LORESCENCE CH	HARACTERISTICS:			
	MBER OF INFLOR	RESCENCE / PLANT:			
	V 8	R1 4	R2	R3	R4
RANG V	8 to 9 R	3 to 6	R2 to	R3 to	R4 to
	MBER OF FLORET	S / INFLORESCENC	Е:		
	v 11	R1 11	R2	R3	R4
RANG	E:		7	,	
V 1	0 to 12 \mathbb{R}	1 8 to 16	R2 to	R3 to	R4 to
COR	COLLA INNER SUF	RFACE COLOR CHA	RT VALUE: Royal H	orticulture Society Color Ch	nart or Munsell Color Chart
\mathbf{v}	78A	R1 82A	R2	R3	R4
D-476	(01-96)				Page 6 of 10

*	COROLLA OUTER SU			Royal Horticulture Society C	olor Chart or Munsell Color Chart
	v 78D	R1 82D	R2	R3	R4
STD	-476 (01-96)			-	Page 6.5 of 19

COROLLA INNER SU 1 = White; 2 = Rec	RFACE COLOR: (all-violet; 3 = Blue-v	Measure predominant collisiolet; $4 = Other V = 1$	or of newly open flower) Purple, R1 = Pur	ple Violet
V 4	1 4	R2	R3	R4
COROLLA SHAPE: (S 1 = Very rotate; 2 =	ee figure 6) = Rotate; 3 = Penta	ngonal; 4 = Semi-stellat	e; 5 = Stellate	
V 2	4	R2	R3	R4
CALYX ANTHOCYAN 1 = Absent; 3 = We		7 = Strong; 9 = Very s	trong	
V 1 R1	1	R2	R3	R4
ANTHER COLOR CHA (Measure when newly open	RT VALUE: Royal ned flower is fully exp	Horticulture Society Co	lor Chart or Munsell C	olor Chart
v _{17A} R1	2A [R2	R3	R4
ANTHER SHAPE: (See 1 = Broad cone; 2 = V 3 R1	figure 7) Narrow cone; 3 =	Pear shape cone; 4 = 1	Loose; 5 = Other	R4
POLLEN PRODUCTION 1 = None; 3 = Some;				
v 2 R1	3	R2	R3	R4
The Variety has low STIGMA SHAPE: (See fit 1 = Capitate; 2 = Cla	gure 8)			
V 1 R1	1	R2	R3	R4
STIGMA COLOR CHAR (Circle the appropriate colo		Iorticulture Society Colo	or Chart or Munsell Col	or Chart
137A R1	137A R2	R	3	R4
BERRY PRODUCTION: 1 = None; 3 = Low;		ns) Heavy; 9 = Very heav	y	
V 2 R1	5	R2	R3	R4
FD-476 (01-96)	·			Page 7 of 19

Page 8 of 19

V 5	R	1 5	R2	R3	R4
L			L		Chart or Munsell Color C
(Circle the app	propriate color ch	hart)			
V 199C	R1	199C	R2	R3	R4
	SKIN COLOR				·
1 = Absent	t; 2 = Present,	please describe	e:		
v 1	R1	1	R2	R3	R4
SECONDARY	SKIN COLOR	CHART VALI	UE: Royal Horticu	lture Society Color Cha	art or Munsell Color Char
(Circle the appr	ropriate color)	···			
V	R1		R2	R3	R4
SECONDARY	SKIN COLOR	DISTRIBUTIO	DN:		
SECONDARY 1 = Eyes; 2	SKIN COLOR 2 = Eyebrows; R1	DISTRIBUTIO 3 = Splashed;	ON: 4 = Scattered; 5	= Spectacled; 6 = Sti	ppled; 7 = Other
1 = Eyes; 2	2 = Eyebrows;	DISTRIBUTIO 3 = Splashed;	4 = Scattered; 5	7	
1 = Eyes; 2 V SKIN TEXTUR	2 = Eyebrows; R1 RE:	3 = Splashed;	4 = Scattered; 5	7	R4
1 = Eyes; 2 V SKIN TEXTUR	2 = Eyebrows; R1 RE:	3 = Splashed;	4 = Scattered; 5	R3	R4
1 = Eyes; 2 V SKIN TEXTUE 1 = Smooth V 2	R1 RE: ; 2 = Rough (fl	3 = Splashed;	4 = Scattered; 5 R2 ted; 4 = Russetted	R3	R4 R4 ed; 6 = Other
1 = Eyes; 2 V SKIN TEXTUF 1 = Smooth V 2 TUBER SHAPE	2 = Eyebrows; R1 RE: ; 2 = Rough (fl R1 C: (See figure 10)	3 = Splashed;	4 = Scattered; 5 R2 ted; 4 = Russetted	R3 R3 R3	R4 R4 ed; 6 = Other
1 = Eyes; 2 V SKIN TEXTUF 1 = Smooth V 2 TUBER SHAPF 1 = Compre	2 = Eyebrows; R1 RE: ; 2 = Rough (fl R1 C: (See figure 10)	3 = Splashed;	4 = Scattered; 5 R2 ted; 4 = Russetted R2	R3 R3 R3	R4 R4
1 = Eyes; 2 V SKIN TEXTUR 1 = Smooth V 2 TUBER SHAPF 1 = Compre	R1 RE: ; 2 = Rough (fl R1 R1 C: (See figure 10) ssed; 2 = Roun	3 = Splashed;	4 = Scattered; 5 R2 ted; 4 = Russetted R2 4 = Oblong; 5 =	R3 R3 Long; 6 = Other	R4 R4 ed; 6 = Other
1 = Eyes; 2 V SKIN TEXTUR 1 = Smooth V 2 TUBER SHAPF 1 = Compre V 2/3	R1 RE: ; 2 = Rough (fl R1 R: (See figure 10) ssed; 2 = Roun R1	3 = Splashed; laky); 3 = Nett 2 ad; 3 = Oval;	4 = Scattered; 5 R2 ted; 4 = Russetted R2 4 = Oblong; 5 = R2	R3 R3 Long; 6 = Other	R4 R4 R4

TUBER LENGTH	x (man).			
AVERAGE:				
v 63.10	R1 69.6	R2	R3	R4
RANGE:				
v 50 to 81	R1 48 to 113	R2 to	R3 to	R4 to
STANDARD DEVIAT	ION:			
V 6.88	R1 9.9	R2	R3	R4
AVERAGE WE	IGHT OF SAMPLE TAI	KEN:		
v	R1	R2	R3	R4
TUBER WIDTH (mm):			
AVERAGE:				
v 56.4	R1 65.5	R2	R3	R4
RANGE:	1			· ·
V 45 to 68	R1 54 to 88	R2 to	R3 to	R4 to
STANDARD DEVIATI	ON:			
v . 4.5	R1 7.2 §	R2	R3	R4
	GHT OF SAMPLE TAK		D2	D4
AVERAGE WEI	GHT OF SAMPLE TAK	EN:	R3	R4
	R1		R3	R4
v	R1		R3	R4
TUBER THICKNE	R1		R3	R4 R4
TUBER THICKNE AVERAGE:	R1 CSS (mm):	R2		
TUBER THICKNE AVERAGE: V 46,7	R1 CSS (mm):	R2		
TUBER THICKNE AVERAGE: V 46,7	R1 54.5 R1 42 to 73	R2	R3	R4
V AVERAGE: V 46,7 RANGE: V 40 to 57	R1 54.5 R1 42 to 73	R2	R3	R4
TUBER THICKNE AVERAGE: V 46,7 RANGE: V 40 to 57 STANDARD DEVIATION V 3.9	R1 54.5 R1 42 to 73 ON:	R2 to R2	R3 to	R4 to
TUBER THICKNE AVERAGE: V 46,7 RANGE: V 40 to 57 STANDARD DEVIATION V 3.9	R1 54.5 R1 42 to 73 ON: R1 6.0	R2 to R2	R3 to	R4 to
TUBER THICKNE AVERAGE: V 46,7 RANGE: V 40 to 57 STANDARD DEVIATION V 3.9 AVERAGE WEIGHT UBER EYE DEPT	R1 54.5 R1 54.5 R1 42 to 73 ON: R1 6.0 GHT OF SAMPLE TAK R1	R2 to R2 R2 R2 R2	R3 to R3	R4 to
TUBER THICKNE AVERAGE: V 46,7 RANGE: V 40 to 57 STANDARD DEVIATION V 3.9 AVERAGE WEIGHT UBER EYE DEPT	R1 54.5 R1 54.5 R1 42 to 73 ON: R1 6.0 GHT OF SAMPLE TAK R1	R2 to R2 R2 R2 R2 R2 R2	R3 to R3	R4 to

TUBER LATERAL E 1 = Protruding; 2	YES = Shallow; 3 = Intermed	ediate; 4 = Deep; 5 =	Very deep	
V 2	R1 2	R2	R3	R4
NUMBER EYE / TUB	ER:			
AVERAGE: V 15	R1 9	R2	R3	R4
RANGE:				
V 14 to 17	R1 8 to 11	R2 to	R3 to	R4 to
DISTRIBUTION OF T 1 = Predominantly	UBER EYES: apical; 2 = Evenly distri	buted		
V 2	R1 1	R2	R3	R4
PROMINENCE OF TU 1 = Not prominent;	BER EYEBROWS: 2 = Slight prominence:	3 = Medium promine	nce; 4 = Very prominent;	5 - Other
· [ce, 4 – very prominent,	3 – Other
V 3	R1 2	R2 .	R3	R4
* PRIMARY TUBER I (Circle the appropriate co	olor chart)	VALUE: Royal Horti	culture Society Color Cha	rt or Munsell Color Chart
v 160c	R1 158B	R2	R3	R4
	1500	2, 2007		124
SECONDARY TUBER I 1 = Absent; 2 = Pre	FLESH COLOR:	LMC 8-2-07		
v 1	R1 1	R2	R3	R4
SECONDARY TUBER F (Circle the appropriate col	FLESH COLOR CHART for chart)	VALUE: Royal Hortic	culture Society Color Char	rt or Munsell Color Chart
v	R1	R2	R3	R4
NUMBER OF TUBERS / 1 = Low (<8); 2 = N	/ PLANT: Medium (8 -15); 3 = Hig	h (>15)		
v	R1	R2	R3	R4

BACTERIAL RIN	G ROT, FOLIAR REA		7=SUSCEPTIBLE; 9=H	
V 7	R1	R2	R3	R4
BACTERIAL RING	G ROT, TUBER REA	CTION:		<u> </u>
V 7	R1	R2	R3	R4
LATE BLIGHT:				<u> </u>
V	R1	R2	R3	R4
PLRV (LEAF RO)	LL):		1	
V	R1	R2	R3	R4
PVX:] [· · · · · · · · · · · · · · · · · · ·
V	R1	R2	R3	R4
PVY: 5	D1	The last		
	R1	R2	R3	R4
OTHER:	R1	R2	R3	R4
OTHER:				14
v	R1	R2	R3	R4
ESTS CHARACTERI	STICS:			
PEST REACTION:	0 = NOT TESTED; 1	= RESISTANT; 3 =	MODERATELY RESISTA	ANT:
	5 = MODERATELY	SUSCEPTIBLE; 7=SU	SCEPTIBLE; 9=HIGHLY	SUSCEPTIBLE
GOLDEN NEMATO	DDE:	R2	R3	D4
		10	R3	R4
OTHER:	R1	R2	R3	R4
NE TRAITS:				
INSERTION OF GEN	TES:	YES	X NO	
•	ene(s) introduced or a			

Page 11 of 19

	CHIEF	MARKET		ocess	sing to	make	e potato	chips	•		444		
ļ		FIC GRAV					er) 9; 4 = 1.08	30-1.089;	5 > 1.09)			
	v	4	Γ	R1	4		R2		R		7	R4	
			vity			acco	ording t	o locat			•	K4	ļ
	FOTAL	GLYCOA	LKAL	OID CO	ONTENT	(mg. /	/ 100 g. fre	sh tuber)					
	v	5.45		R1	9.9		R2		R3			R4	
							·						
(e.g. chip	o-processing	g, frenc	RACTE th fry p	RISTICS rocessing,	: Desci baking	ribe any otl g, boiling, a	er quality fter-cookii	characte ig darken	ristics tha ing). Plea	t may aid ise attach	in ident data an	ification, d
С	orrespo	nding prot	col.				_ <u>-</u>						
													
CH	EMICA												
Đ	escribe	chemical to	aits of	the can	didate va	riety th	hat aid in its	identifica	tion (e.g.	protein o	· DNA ele	etropho	resis).
D P	escribe lease at		aits of	the can	onding p	rotocol.	hat aid in its		tion (e.g.	protein o	· DNA ele	etropho	resis).
D P	escribe lease at	chemical ti tach data a	aits of	the can	onding p	rotocol.	•		tion (e.g.	protein o	· DNA ele	ctropho	resis).
D P	escribe lease at	chemical ti tach data a	aits of	the can	onding p	rotocol.	•		tion (e.g.	protein o	· DNA ele	etropho	resis).
D P S	escribe lease at lee Ex	chemical ti tach data a	raits of nd the	the can	onding p	rotocol.			tion (e.g.	protein o	· DNA ele	etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS						etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	raits of nd the	the can corresp	onding processing the control of the	TERIS	STICS:					ctropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	aits of nd the .	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	aits of nd the .	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	aits of nd the .	the can corresp	onding processing the control of the	TERIS	STICS:					ctropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	aits of nd the .	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	aits of nd the .	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).
ADI	escribe lease at lee Ex	chemical to tach data a chibit D	aits of nd the .	the can corresp	onding processing the control of the	TERIS	STICS:					etropho	resis).

EXHIBIT D. Additional Description of the Variety

- 1) Isozyme fingerprint of FL 1930, with reference to methodology. Comparison of fingerprint with that of Atlantic, showing distinct patterns for each variety (Exhibit D-1).
- 2) Summary of 100-tuber sample of tuber dimensions of FL 1930 compared to 100 tubers of Atlantic.

THE MENT OF THE PROPERTY OF TH

EXHIBIT D-1

	Isozyme electr	O.	phoresis fingerprints of FL 1930 compared to Atlantic.	fingerpri	nts of FL	. 1930 co	mpared	to Atlant	<u>.ö</u>					
Variety	Mdh-1	Mdh-1 Mdh-2	Pgdh-3 Idh-1 Pgi-1 Aps-1 Got-1 Got-2 Pgm-1 Pgm-2 Dia-1 Prx-1 Prx-3 Adh-1	ldh-1	Pgi-1	Aps-1	Got-1	Got-2	Pgm-1	Pgm-2	Dia-1	Prx-1	Prx-3	Adh-1
Atlantic	2223	2223	1122	1112	2222	111	4444	3555	1112	2223	1112	1144	;	2222
FL 1930	2224	2222	1222		2222	ŀ	3344	3355	1113	2223	1	ì	1111	1

Source of Data: Dr. David Douches, Michigan State University, 1998

Procedures and allelic designations used are according to Douches, D.S. and K. Ludlam. 1991. Electrophoretic Characterization of North American Potato Cultivars. Am. Potato J. 68:767-780.

Plant Variety Protection

FL 1930

Date: 4 October 00

Tuber Measu Length (mm)		Depth (mm)
74	61	51
66	61	50
81	64	57
73	60	51
79	57	51
66	57	51
69	61	51
77	67	56
74	64	51
69	57	51
69	56	50
79	64	51
66	57	45
69	62	51
66	64	52
64	57	50
71	61	51
79	61	51
62	56	45
66	57	45
64	57	45
62	58	46
75	61	44
70	58	50
74	57	45
75	61	51
68	52	46
66	54	41
63	55	41
75	57	48
58	49	40
60	64	43
60	61	42
57	56	45
64	52	45
60	57	45
57	52	45
60	58	46
50	45	42
58	54	45
56	57	45
59	57	51
60	56	45
64	64	
		47
60	57	51
64	57	43
64	57	51
59	59	45

Length:			
Mean	63.10	Max	8
STD	6.88	Min	50
Width:			
Mean	56.37	Max	68
STD	4.52	Min	48
Depth:			
Mean	46.69	Max	57
STD	3.92	Min	40

Plant Variety Protection FL 1930Date: 4 October 00

Tuber Measu	ırements	
Length (mm)	Width (mm)	Depth (mm)
67	55	43
59	58	50
63	53	50
59	57	44
56	51	43
67	57	46
60	51	49
60	53	47
60	62	51
60	50	52
63	59	45
60	54	43
58	61	45
64	54	51
60	47	41
59	57	46
60	57	45
56	49	43
	58	49
69 77	61	52
59	57	54
68 :: :	58	43
66	68	- 43 56
56	53	43
60	54	51
60	45	41
75	54	44
59	51	42
60	57	45
60	47	.43
59		
58	54 52	42
50		42
54	54	44
	56	47
59	52	43
56	53	45
60	53	43
58	61	46
53	51	43
55	53	44
59	51	43
52	52	43
60	54	42
53	51	44
54	56	47
59	54	42
64	58	47
77	64	51

Plant Variety Protection

FL 1930

Date: 4 October 00

Width (mm)	Depth (mm)
58	45
54	51
58	51
54	43
	58 54 58

Plant Variety Protection Atlantic

Date: 4 October 00

Tuber Measure	ements	
Length (mm)	Width (mm)	Depth (mm)
72	61	54
64	63	53
72	66	56
64	56	47
64	59	47
59	54	50
75	64	50
67	63	54
100	72	62
60	54	47
80	69	50
64	59	49
72	66	59
60	54	42
80	69	54
64	54	53
72	66	56
59	61	49
70	65	56
60	57	48
64	56	50
48	57	49
66	64	52
79	76	59
70	60	47
69	70	57
68	69	58
66	64	51
65	64	54
69	64	47
93	88	63
69	69	54
56	59	56
74	71	57
75	76	60
53	64	54
69	62	44
76	78	71
66	64	46
72	63	46
74	60	47
91	74	63
80	65	56
64	54	52
67	75	56
64	65	54
80	78	65
70	67	59
	٠,	

Length:			
Mean	69.6	Max	113
STD	9.9	Min	48
Width:			
Mean	65.5	Max	88
STD	7.2	Min	54
Depth:			
Mean	54.5	Max	73
STD	6	Min	42

Plant Variety Protection

Atlantic

Date: 4 October 00

Length (mm)	Width (mm)	Depth (mm)
82	72	62
70	67	42
64	62	54
72	73	59
98	73	63
67	66	59
67	67	63
60	61	54
70	62	51
85	84	58
70	75	54
80	80	62
60	67	49
72	72	59
80	68	62
64	59	54
67	62	50
113	80	73
80	84	
75	72	60 59
68	56	
67	62	50
76		56
64	04	54
70	65	56
64	61 64	48
75	63	49
64	67	58 61
67		61
60	66	54
72	65	54
70	65	54
	69	61
70 70	65	54
	67	51
64 75	64	50
	73	56
82	70	55
75	76	73
64	59	63
60	57	50
72	60	56
79	69	56
60	61	54
64	72	56
60	54	49
60	60	54
54	58	48
64	60	50

Plant Variety Protection *Atlantic*

Date: 4 October 00

Length (mm)	Width (mm)	Depth (mm)
60	54	51
54	65	54
64	56	47
64	70	62

REPRODUCE LOCALLY. Include form number and edition date on	all reproductions.	FORM APPROVED - OMB No. 0581-0058
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E	Application is required in order to de certificate is to be issued (7 U.S.C. 2 confidential until the certificate is issued.	2421). The information is held
STATEMENT OF THE BASIS OF OWNERSHIP		
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME
Frito-Lay North America, Inc.	RD 78-91-5	FL 1930
4. ADDRESS (Street and No., or R.F.D. No., City, State. and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area code)
7701 Legacy Drive	972-334-3822	972-334-5965
Plano, Texas 75024	7. PVPO NUMBER	
	#200100	164
8. Does the applicant own all rights to the variety? Mark an "X" in	the appropriate block. If no, please expl	ain. X YES NO
9. Is the applicant (individual or company) a U.S. national or a U.S.	based company? If no, give name of c	country. X YES NO
10. Is the applicant the original owner?	NO If no, please answer one	of the following:
a. If the original rights to variety were owned by individual(s), is X YES b. If the original rights to variety were owned by a company(ie: YES	NO If no, give name of count	ased company?
11. Additional explanation on ownership (If needed, use the reverse	e for extra space):	
The original owner (the breeder) assign obligations under his employment contrappursuant to contractual obligation, ass	act to Frito-Lay, Inc., v	hich in turn,
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not lice	nsees) who meet the following criteria:	
If the rights to the variety are owned by the original breeder, that national of a country which affords similar protection to nationals	person must be a U.S. national, national of the U.S. for the same genus and spec	of a UPOV member country, or ies.
If the rights to the variety are owned by the company which employed nationals of a UPOV member country, or owned by nationals of a genus and species.	oyed the original breeder(s), the compan a country which affords similar protection	y must be U.S. based, owned by to nationals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the	e original owner and the applicant must r	neet one of the above criteria.
The original breeder/owner may be the individual or company who dat for definitions.	directed the final breeding. See Section	41(a)(2) ot the Plant Variety Protection
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponso control number. The valid OMB control number for this information collection is 0581-0058 response, including the time for reviewing the instructions, searching existing data sources	The time required to complete this information colle	ction is estimated to average 6 minutes per
The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs on	the basis of race, color, national origin, gender, religio	n. age. disability, political beliefs, sexual orientation.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.

State of Delaware Secretary of State Division of Corporations Delivered 05:24 PM 01/15/2004 FILED 05:24 PM 01/15/2004 SRV 040033329 - 2202650 FILE

STATE OF DELAWARE CERTIFICATE OF AMENDMENT OF CERTIFICATE OF INCORPORATION

Recot, Inc., a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware.

DOES HEREBY CERTIFY:

FIRST: The Board of Directors of Recot, Inc. has duly adopted a resolution setting forth a proposed amendment of the Certificate of Incorporation of said corporation, declaring said amendment to be advisable. The resolution setting forth the proposed amendment is as follows:

RESOLVED, that the Certificate of Incorporation of this corporation be amended by changing the Article thereof numbered "ARTICLE ONE" so that, as amended, said Article shall be and read as follows:

The name of the corporation is FRITO-LAY NORTH AMERICA, INC.

SECOND: That said amendment was duly adopted in accordance with the provisions of Section 242 of the General Corporation Law of the State of Delaware.

THIRD: That the capital of said corporation shall not be reduced under or by reason of said amendment.

FOURTH: That this name change shall be effective December 29, 2003, for accounting purposes only.

FIFTH: That the Principal Administrative Office for Frito-Lay North America, Inc. shall be located at 7701 Legacy Drive, Plano, Texas 75024.

IN WITNESS WHEREOF, said Recot, Inc. has caused this certificate to be signed by Kelly Mahon Tullier, an Authorized Officer, this 20th day of January, 2004.

Title: Vice President and Treasurer

uthorized Officer

Name: Kelly Mahon Tullier

EXHIBIT E. Statement of the Applicant's Ownership

The variety FL 1930, for which Plant Variety Protection is hereby sought, was developed by breeders employed by Frito-Lay, Inc. By agreement between Frito-Lay and its employees, all rights to inventions and discoveries made by the employees while employed by Frito-Lay are assigned to Frito-Lay, Inc., with no ownership rights of any kind retained by employees.

REPRODUCE LOCALLY. Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY **PLANT VARIETY PROTECTION OFFICE** BELTSVILLE, MD 20705

EXHIBIT F DECLARATION REGARDING DEPOSIT

DECLARATION REGARDING DEPOSIT			
NAME OF OWNER (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	TEMPORARY OR EXPERIMENTAL DESIGNATION	
Frito Lay North America, Inc.	7701 Legacy Dr Plano, TX 75024	1993 111.3	
		VARIETY NAME FL 1930	
NAME OF OWNER REPRESENTATIVE (S) Robert W. Hoopes	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	FOR OFFICIAL USE ONLY	
	7701 Legacy Dr Plano, TX 75024	PVP # 2 0 0 1 0 0 1 6 4	

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.